

SECTION 1: CHEMICAL PRODUCT and COMPANY IDENTIFICATION

Catalog No.
L17379

Product Name: **Sulphuryl fluoride, 99%**
Manufacturer/Supplier Name: Alfa Aesar - A Johnson Matthey Company
Address: 30 Bond St.
Ward Hill, MA 01835
Business Phone: 978-521-6300
Business Fax: 978-521-6350
For information
in North America, call: 978-521-6300

CHEMTREC Numbers:

For emergencies in the US, call CHEMTREC: 800-424-9300
For emergencies outside US, call INTERNATIONAL: (703)527-3887
For Nonemergency, call: (800)262-8200

[To Top of page](#)

SECTION 2 : COMPOSITION, INFORMATION ON INGREDIENTS

Catalog No. L17379

Chemical Name Sulphuryl fluoride
CAS# 2699-79-8
% Weight (Typical) 99

[To Top of page](#)

SECTION 3 : HAZARDS IDENTIFICATION

Catalog No. L17379

Emergency Overview: Toxic. Reproductive effects. Irritant.

Sulphuryl fluoride:

Route of Exposure: Eyes. Skin. Inhalation. Ingestion.

Potential Health Effects:

Eye Contact: Causes eye irritation

Skin Contact: Causes skin irritation

Inhalation: Also irritating to the respiratory tract, but, being practically odorless, does not give adequate warning of exposure. At higher concentrations: risk of pulmonary edema.

Ingestion: Toxic by ingestion.

Target Organs: Eyes. Skin. Respiratory system. G.I. Tract. Reproductive System.

Signs/Symptoms: Symptoms of acute exposure to the gas include nausea, vomiting, abdominal cramps, itching of the skin, irritation and inflammation of the eyes, nasal passages and throat, coughing, severe shortness of breath, seizures, cardiopulmonary arrest. Possible effects of chronic exposure: fluorosis, bronchial inflammation, renal damage.

[To Top of page](#)

SECTION 4 : FIRST AID MEASURESCatalog No. L17379

Eye Contact:	Immediately flush eyes with plenty of water for at least 20 minutes. Assure adequate flushing of the eyes by separating the eyelids with fingers. Get immediate medical attention if irritation persists, or symptoms of overexposure become apparent.
Skin Contact:	Immediately wash skin with plenty of water for at least 20 minutes, while removing contaminated clothing and shoes. Get medical attention especially, if irritation develops, persists, or symptoms of overexposure become apparent.
Inhalation:	Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Keep warm. Get immediate medical attention.
Ingestion:	If swallowed, call a physician or poison control center immediately. Never give anything by mouth to an unconscious person. Do not induce vomiting unless instructed by medical personnel. Get medical attention.
Other First Aid:	Exposures require specialized first aid with contact and medical follow-up. Symptoms of exposures may be delayed.

[To Top of page](#)

SECTION 5 : FIRE FIGHTING MEASURESCatalog No. L17379

Flash Point:	No data
Extinguishing Media:	Use dry powder or carbon dioxide when fighting a fire involving this material.
Unsuitable Media:	Water extinguishers are not recommended.
Protective Equipment:	As in any fire, wear self-contained breathing apparatus pressure-demand, NIOSH (approved or equivalent) and full protective gear.

[To Top of page](#)

SECTION 6 : ACCIDENTAL RELEASE MEASURESCatalog No. L17379

Personal Precautions:	Evacuate area until gas has dispersed. Keep upwind of leak. Shut off source of leak if it is safe to do so. See also section 8.
Spill Cleanup Measures:	Clean up spills immediately, observing precautions in the Protective Equipment section. Shut off leak if it is safe to do so. Ventilate spill area and allow to evaporate. Evacuate area until gas has dispersed. Eliminate all sources of ignition. Refer to section 13 for disposal or reporting requirements.
Environmental Precautions:	Do not allow material to enter drains or streams.

[To Top of page](#)

SECTION 7 : HANDLING and STORAGECatalog No. L17379

Handling:	This product should be handled only by, or under the close supervision of, those properly qualified in the handling and use of potentially hazardous chemicals, who should take into account the fire, health and chemical hazard data. It should always be handled in an efficient fume hood or equivalent system. The user should consider that the toxicological and physiological properties of many compounds are not yet well determined and that new hazardous products may arise from reactions between chemicals. Care should be taken to prevent any chemical from coming into contact with the skin or eyes and from contaminating personal clothing.
Storage:	Store in a cool, dry, well ventilated area away from sources of heat and incompatible substances. Keep container tightly closed when not in use.
Hygiene Practices:	Wash thoroughly after handling. Avoid contact with eyes and skin. Avoid inhaling vapor or mist.

[To Top of page](#)

Guideline Type:	NIOSH REL-TWA
Guideline Information:	5 ppm 20 mg/m ³
Guideline Type:	OSHA PEL-TWA
Guideline Information:	5 ppm 20 mg/m ³
Guideline Type:	NIOSH REL-STEL
Guideline Information:	10 ppm 40 mg/m ³
Guideline Type:	ACGIH TLV-TWA
Guideline Information:	5 ppm 21 mg/m ³
Guideline Type:	ACGIH TLV-STEL
Guideline Information:	10 ppm 42 mg/m ³

Engineering Controls:	Use appropriate engineering control such as process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Where such systems are not effective wear suitable personal protective equipment, which performs satisfactorily and meets OSHA or other recognized standards. Consult with local procedures for selection, training, inspection and maintenance of the personal protective equipment.
Skin Protection Description:	Wear suitable protective clothing to prevent contact with skin.
Hand Protection Description:	Wear appropriate protective gloves. Consult glove manufacturers for glove permeability data.
Eye/Face Protection:	Wear appropriate protective glasses or splash goggles as described by 29 CFR 1910.133, OSHA eye and face protection regulation, or the European standard EN 166.
Respiratory Protection:	A NIOSH approved air-purifying respirator with an appropriate cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited to airborne concentrations that are typically within 10 times the exposure limit. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.
Other Protective:	Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Ingredient GuidelinesIngredient: Sulphuryl fluoride[To Top of page](#)

Physical State/Appearance:	Liquefied gas
Odor:	Almost odorless
Vapor Pressure:	1496 mbar @ 21.1°C (69.98°F)
Vapor Density:	3.5
Flash Point:	No data
Boiling Point:	-55°C (-67°F)
Melting Point:	-135°C (-211°F)
Solubility in Water:	0.75 g/L @ 25°C (77°F)
Density:	1.7 @ -55°C (approximately) (Ref:Sax)
Molecular Formula:	F ₂ O ₂ S
Molecular Weight:	102.06

[To Top of page](#)

SECTION 10 : STABILITY and REACTIVITYCatalog No. L17379

Conditions to Avoid:	High temperatures
Incompatibilities with Other Materials:	Bases, ammonia, amines. Alkali metals and other reactive metals.
Possible Decomposition Product:	Hydrogen fluoride. Sulphuryl fluoride, sulphur tetrafluoride, oxides of sulphur.

[To Top of page](#)

SECTION 11 : TOXICOLOGICAL INFORMATIONCatalog No. L17379

Sulphuryl fluoride :

RTECS Number:	WT5075000
Eye Effect:	No data reported in the cited references as of the revision date.
Skin Effects:	No data reported in the cited references as of the revision date.
Ingestion Effects:	Oral - rat LD50: 100 mg/kg (RTECS); Oral - guinea pig LD50: 100 mg/kg (RTECS)
Inhalation Effects:	Inhalation - rat LC50: 991 ppm/4H [Behavioral - convulsions or effect on seizure threshold Lungs, Thorax, or Respiration - acute pulmonary edema Lungs, Thorax, or Respiration - cyanosis] (RTECS); Inhalation -mouse LCLo: 1200 ppm/1H [Behavioral - convulsions or effect on seizure threshold Lungs, Thorax, or Respiration - cyanosis] (RTECS); Inhalation -rabbit LCLo: 5000 ppm/1H [Behavioral - convulsions or effect on seizure threshold Lungs, Thorax, or Respiration - cyanosis] (RTECS)
Chronic Inhalation Effects:	Inhalation - rat TCLo: 80 ppm/6H/2Y-I Kidney, Ureter, Bladder - other changes Nutritional and Gross Metabolic - weight loss or decreased weight gain Related to Chronic Data - death; Inhalation -rat TCLo: 300 ppm/6H/13W-I Sense Organs and Special Senses (Olfaction) - effect, not otherwise specified Lungs, Thorax, or Respiration - other changes Kidney, Ureter, Bladder - other changes in urine composition; Inhalation -rat TCLo: 600 ppm/6H/2W-I Kidney, Ureter, Bladder - proteinuria Blood - changes in leukocyte (WBC) count Nutritional and Gross Metabolic - weight loss or decreased weight gain (RTECS); Inhalation -mouse TCLo: 80 ppm/6H/78W-I Brain and Coverings - other degenerative changes Nutritional and Gross Metabolic - weight loss or decreased weight gain Related to Chronic Data - death (RTECS); Inhalation -rabbit TCLo: 337 ppm/6H/13W-I Liver - changes in liver weight Blood - changes in leukocyte (WBC) count Nutritional and Gross Metabolic - changes in metals, not otherwise specified (RTECS)
Teratogenicity:	Teratogenic effects. (RTECS)
Reproductive Toxicity:	Experimental reproductive effects (Sax)

[To Top of page](#)

SECTION 12 : ECOLOGICAL INFORMATIONCatalog No. L17379

Ecotoxicity:	No information provided.
Bioaccumulation:	No information provided.
Biodegradation:	No information provided.
Environmental Stability:	No information provided.

[To Top of page](#)

SECTION 13 : DISPOSAL CONSIDERATIONSCatalog No. L17379

Waste Disposal:	Consult with the US EPA Guidelines listed in 40 CFR Part 261.3 for the classifications of hazardous waste prior to disposal. Furthermore, consult with your state and local waste requirements or guidelines, if applicable, to ensure compliance. Arrange disposal in accordance to the EPA and/or state and local guidelines, by a licensed disposal company.
-----------------	---

SECTION 14 : TRANSPORT INFORMATION

Catalog No. L17379

DOT Shipping Name: Sulfuryl fluoride
DOT Hazard Class: 2.3
DOT Identification Number: UN2191

[To Top of page](#)

SECTION 15 : REGULATORY INFORMATION

Catalog No. L17379

Sulphuryl fluoride :

TSCA 8(b): Inventory Status: Listed on the TSCA inventory.

Risk Phrases: R23/25 Toxic by inhalation and if swallowed.
R36/37/38 Irritating to eyes, respiratory system and skin.

Safety Phrase: S23G Do not breathe gas
S37/39 Wear suitable gloves and eye/face protection.
S45 In case of accident or if you feel unwell, seek medical advice immediately

[To Top of page](#)

SECTION 16 : ADDITIONAL INFORMATION

Catalog No. L17379

MSDS Preparation Date: January 1, 2002, Version 1

MSDS Revision Date: April 14, 2003.

MSDS Author: Actio Corporation.

Disclaimer:

This Health and Safety Information is correct to the best of our knowledge and belief at the date of its publication but we cannot accept liability for any loss, injury or damage which may result from its use. We shall ensure, so far as is reasonably practicable, that any revision of this Data Sheet is sent to all customers to whom we have directly supplied this substance, but must point out that it is the responsibility of any intermediate supplier to ensure that such revision is passed to the ultimate user. The information given in the Data Sheet is designed only as a guidance for safe handling, storage and the use of the substance. It is not a specification nor does it guarantee any specific properties. All chemicals should be handled only by competent personnel, within a controlled environment. Should further information be required, this can be obtained through the sales office whose address is at the top of this data sheet. We welcome any additional information about our products that customers have obtained by personal experience.

References:

1. American Chemical Society, STN Easy Online Database
2. Brethericks Reactive Chemical Hazards Database. Version 2.
3. Gassarett and Doulls Toxicology, The Basic Science of Poisons.
4. Hawleys Condensed Chemical Dictionary, Thirteenth Edition
5. IARC monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, WHO International Research on Cancer.
6. Industrial Hygiene and Toxicology, by F.A. Patty.
7. National Library of Medicine, Department of Health and Human Services, Hazardous Substances Data Bank (HSDB).
8. National Toxicology Program (NTP) Eighth Report on Carcinogens, 1997.
9. NIOSH Registry of Toxic Effects of Chemical Substances (RTECS) and Pocket Guide to Chemical Hazards.
10. OSHA Hazard Communication Standard, 1910.1200 and Z Tables.
11. Sax Dangerous Properties of Industrial Materials. Tenth Edition.
12. The Merck Index: An Encyclopedia of Chemicals and Drugs. Merck and Company. Twelfth Edition 1998.
13. Threshold Limit Values for Chemical Substances and Physical Agents in the Work Environmental and Biological Exposure Indices. TLV Booklet, 2001.

Copyright© 1996-2000 Actio Software Corporation. All Rights Reserved.

[To Top of page](#)